

**Amendments To the Claims:**

Please amend the claims as shown. Applicants reserve the right to pursue any cancelled claims at a later date.

1.-27. (cancelled)

28. (new) A method for selecting network access to one or more data networks via a telecommunication terminal, comprising:

analyzing network access information which has been determined by the telecommunication terminal and/or an additional telecommunication terminal during network connections via different network accesses; and

selecting a network access on the basis of the analyzed network access information.

29. (new) The method according to Claim 28, wherein selecting a network access includes selecting one or more network access providers together with the network interface which the telecommunication terminal needs for establishing a connection with the network access providers.

30. (new) The method according to Claim 28, wherein the network access information includes information concerning the quality of the network accesses and/or the costs incurred for network connections via the said network accesses.

31. (new) The method according to Claim 30, wherein the information about the quality of network accesses includes information on the services available from said network accesses and/or the connection quality of said network accesses.

32. (new) The method according to Claim 31, wherein the connection quality information includes information about the frequency of cut-outs and interruptions, and/or bandwidths, and/or data losses, and/or data delays, during network connections via the said network accesses.

33. (new) The method according to Claim 28, wherein adjustable parameters are used to analyze the network access information.

34. (new) The method according to Claim 33, wherein the parameters include user-specific and/or application-specific requirements regarding network access quality.

35. (new) The method according to Claim 33, wherein the parameters include information regarding the location of the telecommunication terminal.

36. (new) The method according to Claim 35, wherein a location of the telecommunication terminal is determined automatically.

37. (new) The method according to Claim 35, wherein a location of the telecommunication terminal is determined by the user of the said telecommunication terminal.

38. (new) The method according to Claim 35, in which the location of the telecommunication terminal is determined by inquiring from a network access provider.

39. (new) The method according to Claim 28, wherein only network access information which has been determined by the telecommunication terminal and/or by additional telecommunication terminals in a predefined area surrounding the location of the telecommunication terminal is analyzed.

40. (new) The method according to Claim 28, wherein network access information is made available to network service providers and/or network access providers.

41. (new) The method according to Claim 28, wherein the network access information is updated at regular intervals.

42. (new) The method according to Claim 28, wherein the network access information includes user-specific comments.

43. (new) The method according to Claim 28, wherein the network access information is stored on a central computer and/or the telecommunication terminal and/or the additional telecommunication terminal.
44. (new) The method according to Claim 28, wherein information about the location which the telecommunication terminal needs for the selected network access is determined using the selected network access.
45. (new) The method according to Claim 44, wherein a navigation system determines the way from the present location of the telecommunication terminal to the location which the telecommunication terminal needs for the selected network access.
46. (new) The method according to Claim 28, wherein one or more data networks, for which a network access is selected, is or are the Internet and/or a fixed telecommunications network and/or a mobile radio communications network.
47. (new) The method according to Claim 28, wherein the telecommunication terminal is connected to the additional telecommunication terminal via a data exchange connection.
48. (new) The method according to Claim 47, wherein the data exchange connection has no intermediate devices.
49. (new) The method according to Claim 47, wherein the connection for exchanging data takes place via wireless LAN and/or via an ad hoc network and/or via Bluetooth interfaces and/or via infrared interfaces.
50. (new) The method according to Claim 47, wherein the selected network access is a network access which takes place via the additional telecommunication terminal and wherein data from the selected network access can be transmitted to the telecommunication terminal via the data exchange connection.

**Serial No. Not Yet Assigned**  
**Atty. Doc. No. 2002P17649WOUS**

51. (new) The method according to Claim 28, wherein the telecommunication terminal and/or the additional telecommunication terminal are mobile radio terminals and/or computers.

52. (new) The method according to Claim 28, wherein the network access information has been determined by measurements carried out only on the telecommunication terminal and/or the additional telecommunication terminal.

53. (new) A device for selecting network access to one or more data networks by a telecommunication terminal wherein the device can be used to perform a method for selecting network access to one or more data networks by a telecommunication terminal, the method comprising:

analyzing network access information which has been determined by the telecommunication terminal and/or additional telecommunication terminals during network connections via different network accesses; and

selecting a network access on the basis of the analyzed network access information.

54. (new) The device according to Claim 53, further comprising:

a mechanism for analyzing network access information which has been determined by the telecommunication terminal and/or the additional telecommunication terminals during network connections via different network accesses; and

a mechanism for selecting a network access on the basis of the analyzed network access information.

55. (new) The device according to Claim 53, wherein the device is integrated into a telecommunication terminal.